

資料提供招請に関する公表

次のとおり物品の導入を予定していますので、当該導入に関して資料等の提供を招請します。

令和8年10月13日

国立大学法人三重大学長 伊藤 正明

◎調達機関番号 415 ◎所在地番号 24

○第2号

1 調達内容

(1) 品目分類番号 15、28

(2) 導入計画物品及び数量

電話交換機設備 一式

(3) 調達方法 購入等

(4) 導入予定時期

令和9年5月以降

(5) 調達に必要とされる基本的な要求要件

A 電話交換機設備は、上浜キャンパス附属病院に設置されている現有の電話交換機と連携が可能であること。

B 電話交換機設備は、総回線数2,000回線程度とし、デジタル回線、アナログ回線、ISDN回線、光回線及び専用線を接続できる機能を有し、実装回線を容易に増設できる拡張性を有すること。

C デジタル電話交換機は、通話料金管理装置及び保守コンソールとの連携が可能であること。

D 安定した電話回線網として運用ができる信頼性を備えること。

E 耐震性能を有し、地震や停電発生時等においても安定して稼働する性能を有すること。

F 停電時は主装置のバッテリーによる数時間のバックアップ機能を有すること。

G 現行の電話交換機室内にて現行の電話交換機から更新設置ができること。

H 既設の端末機器の継続利用、または代替端末への更新を含めた最適な提案が可能であること。

2 資料及びコメントの提供方法

上記1(2)の物品に関する一般的な参考資料及び同(5)の要求要件等に関するコメント並びに提供可能なライブラリーに関する資料等の提供を招請する。

(1) 資料等の提供期限 令和8年11月13日17時00分（郵送の場合は必着のこと。）

(2) 提供先 〒514-8507 津市栗真町屋町 1577

三重大学財務部財務管理チーム調達室 豊田 健

電話 059-231-5315

3 説明書の交付 本公表に基づき応募する供給者に対して導入説明書を交付する。

(1) 交付期間 令和8年10月13日から令和8年11月13日まで。

(2) 交付場所 上記 2 (2)に同じ。

4 説明会の開催 本公表に基づく導入説明会を開催する。

(1) 開催日時 令和 8 年 1 0 月 2 3 日 1 4 時 0 0 分

(2) 開催方法 オンライン開催

5 その他

この導入計画の詳細は導入説明書による。なお、本公表内容は予定であり、変更することがあり得る。

6 Summary

(1) Classification of the products to be procured : 15,28

(2) Nature and quantity of the products to be purchased :

Private Branch Exchange Phone System 1set

(3) Type of the procurement : Purchase

(4) Basic requirements of the procurement :

A This equipment should be able to connect with the existing private branch exchange installed at the Kamihama Campus University Hospital.

B This equipment should have a total scale of about 2,000 lines, have the functions to connect with digital lines, analog lines, ISDN lines, optical lines, and dedicated lines, and have the extensibility to easily add installed lines.

C Digital private branch exchange should work with a call charge management equipment and maintenance console.

D This equipment must have the reliability to be operated as a stable telephone line network.

E This equipment must have earthquake resistance and performance to operate stably even in the event of earthquakes or power outages.

F In the event of a power outage, it must have a backup function for several hours using the battery of the main unit.

G It is possible to update and install the equipment replacing the current telephone exchange in the current telephone exchange room.

H It should be possible to make optimal proposals, including the continued use of existing terminal devices or replacement with alternative terminals.

(5) Time limit for the submission of the requested material : 17:00 13 November, 2026.

(6) Contact point for the notice : Ken Toyoda, Procurement Section, Financial

Management Office, Finance Department, Mie University, 1577 Kurimamachiya-
cho Tsu-shi 514-8507 Japan, TEL 059-231-5315